

PROVIDES A VARIETY OF **MOLDING** AND **TRIM**?

HELPS ME PATCH HOLES IN MY **WALL** AND **CEILING**?

CARRIES **A LARGE INVENTORY** OF MOBILE HOME PARTS?

HAS A WIDE SELECTION OF **VENTS, MINI-BLINDS** AND **MORE**?

THE ANSWER IS



#2 SQUARE BIT DRIVER ■

1/4". Overall length 8-3/4". Handle 4-1/8". Uncarded

0380202 6/CTN.
0380103 ECONOMY 25/CTN.



NUT DRIVER ●

1/4". Overall length 6-3/4". Handle 3-3/4". Uncarded

0380301 6/CTN.



CLUTCH DRIVER ⌘

5/32". Overall length 7-1/2". Handle 4". Uncarded.


0380502 6/CTN.



LOCK INSTALLATION TOOL KIT HOLE SAW

For fast and easy installation of most locksets and deadbolts; fits most popular electric and cordless drills. Blade-mandrel and bit are high quality heat treated and hardened. Contains one 2-1/8" diameter high carbon steel high speed holesaw and mandrel, and one 1" high speed wood power bit. Will saw through metal or wood. Carded.

0390500 12/CTN.



6-IN-1 SCREWDRIVER

Specially tempered chrome-plated steel, hardened so that one end can be used as a 5/16" hollow shaft nut driver and the other end can be used as a 1/4" hollow shaft nut driver. Comes standard with a double end Phillips bit (1/4" end) and a double end slotted bit on the 5/16" end.

0380109 6-IN-1 SCREWDRIVER
0380115 6-IN-1 IMPRINTED SCREWDRIVER, MIN. ORDER 24



Imprint Special:

The 6-in-1 screwdriver can be imprinted with your company name in a minimum order of 24 pcs. Makes a great advertising tool and give-away.



SELF-TAP SCREWS

Zinc plated, #8 washer hex head screws.

0263043	3/4"	100/BOX
0262638	3/4"	500/BOX
0263035	1"	100/BOX
0263036	1 1/2"	100/BOX



BRASS THUMB SCREWS



New metric screws specifically for light shades, smaller than #0281501 & #0281502, with a Phillips head.

0281505	100/PK.
---------	---------

PAN HEAD SCREWS



Zinc plated. # 8 gauge. 10/Ctn.

0263123	1 X 8	500/PK.
0263119	1 1/2 X 8	500/PK.

STOVE BOLTS & NUTS



Packaged machine screws with nuts. 1/4" #20.

0263022	3/4"	100/BOX
0263024	1"	100/BOX

LAG SCREW

With washers. 50/Box.



washers

0263030	3/8" X 4"
0263031	3/8" X 5"
0263032	3/8" X 6"
0263041	3/8" X 6" (250/BX)
0263033	3/8" X 8"
0263037	3/8" X 5" (300/BX)
0263034	3/8" WASHER ONLY
0263025	1/2" WASHER ONLY

CARPET MOLDING NAIL SPIRAL THREAD



Drive nail with spiral thread. Hammer drive application. Counter-sunk oval head. Poly-bagged.

0263200	BRASS FINISH	500/BOX
0263208	ZINC FINISH	24/BAG
0263206	BRASS FINISH	250/BOX

TUB MOLDING SCREWS



3/4" flat head, zinc-plated screws.

0265518	50/BOX
---------	--------

THREADED FLAT HEAD



2" threaded #8 gauge. Bronze finish.

0262631	2"	250/BOX
---------	----	---------

HINGE SCREW OVAL SQUARE



Oval square recess. Zinc plated. # 6 gauge, 1 1/4" long.

0263108	50/BOX
---------	--------


FLOOR SCREWS



Flat head square recess #8. 10/Ctn.

0263111	1-1/2"	250/BOX
0263113	2"	250/BOX
0263118	3"	100/BOX
0263098	3"	2000/BOX
0263117	4"	100/BOX

SHEET METAL SCREWS



Hex washer head. #8 gauge.

1/2" Sheet Metal Screws
0263050 BOX OF 500

3/4" Sheet Metal Screws
0262616 BOX OF 500
0263101 BOX OF 500
0264037 WHITE BOX OF 500
0263000 KEG (35,000 APPROX.)

1" Sheet Metal Screws
0262615 BOX OF 50
0262618 WHITE (50/BOX)
0263102 BOX OF 500
0264038 WHITE (500/BOX)
0263005 KEG (25M APPROX.)
0263006 1/4 KEG (7,500 APPROX.)

1-1/4" Sheet Metal Screws r
0262614 50/BOX
0263103 500/BOX
0263010 KEG (20M APPROX.)
0263011 1/2 KEG (6M APPROX.)
0263075 150/BOX

1-1/4" Painted Sheet Metal
Screws
0262611 250/BOX, BLACK
0262612 500/BOX, BLACK
0263151 500/BOX, BROWN
0263014 500/BOX, WHITE
0262632 500/BOX, CREAM
0263013 1/4 KEG, WHITE (6M APPROX.)

1-1/2" Sheet Metal Screws
0262613 50/BOX
0263104 500/BOX
0263012 KEG (15M APPROX.)

1-1/2" Painted Sheet Metal
Screws
0264035 50/BOX, WHITE
0264036 500/BOX, WHITE

2" Sheet Metal Screws
0263089 250/BOX


EZ CHUCK NUT SETTER



Magnetic. For driving hex head screws.

0390626 1/4" MAG NUT DRIVER, 1-3/4" LONG
0390627 1/4" MAG NUT DRIVER, 2-9/16" LONG
0390643 1/4" MAG NUT DRIVER, 4" LONG
0390628 5/16" MAG NUT DRIVER, 2-9/16" LONG
0390608 1/4" MAG NUT DRIVER, 6" LONG

DOUBLE ENDED BIT



0390601 #2 PHILLIPS & 8-10 SLOT; 2"

PHILLIPS BIT



0390618 #2 - 1"

PHILLIPS



0390638 #1 - 1-15/16" LONG
0390639 #2 - 1-15/16" LONG
0390641 #2 - 6" LONG

TAPERED NUT SETTER



0390634 MAGNETIC, 2" LONG. 1/4"

BIT HOLDER



For 1/4" Hex insert bits. 2" long, non-magnetic.

0390609



CLUTCH HEAD



0390611 5/32" - 2" LONG



CLUTCH HEAD BIT



0390613 5/32" - 1" LONG

SQUARE RECESS



0390615 #1 - 1"
0390612 #2 - 1"

SQUARE RECESS



0390636 #1 SQUARE, 2" LONG
0390637 #2 SQUARE, 2" LONG
0390642 #2 SQUARE, 6" LONG

PANEL NAILS

1" colored nails. Approximately 500 per plastic box.


- 0263110 1" OAK
- 0263116 1" WHITE
- 0263140 1-5/8" WHITE
- 0263141 1-5/8" DARK OAK
- 0263143 1-5/8" OAK



MIRROR CLIPS

Deluxe design. Clear plastic. For 1/8" glass.

0262608 W/SCREW; 10/BAG



ALL LEATHER WORK GLOVES

- Split Leather Cowhide
- Full Leather Palm with leather knuckle band & fingers
- Heavy canvas gauntlet cuff for added protection
- Front, back & leather cuff
- Double leather palm
- Double Stitched
- Sold as pairs



0345015 - LEATHER PALM GLOVED
0345016 - ALL LEATHER WORK GLOVES

RIDGID



Disclaimer: The RIDGID® 700 Power Drive machine is a product of Emerson Electric Co. or its subsidiaries RIDGID, Inc. and Ridge Tool Company ("Ridgid"). Any use of the RIDGID® 700 Power Drive machine as an anchor drive machine or for turning anchors for securing mobile homes is not approved by Ridgid and voids the RIDGID® Lifetime Warranty for this product.

HEAVY DUTY CABLE TIES



6.6 nylon, the heavy duty duct straps feature smooth insertion, and a locking mechanism that gives ductwork a firm hold. Accommodates 7 to 15 inch duct. Tensioning tool for 32"+ allows operator to adjust strap to any desired tension.

48" Long – Fits up to 14" Duct – 175 lb. Tensile

0262508 48"; 50/PACK (MFR# 7-P48)

WHITE NYLON WIRE TIES

White Wire Ties
15" Nylon

0262509 15"; 12/PACK (MFR# WT15)



RIDGID® 700 PORTABLE POWER DRIVE

Ridgid® is the trademark of Emerson Electric Co. or its affiliates and is registered in the U.S. and elsewhere. Heavy-duty hand-held power drive. Features reversible 115V or 230V universal motor. Horsepower: 1/2; RPM: 32; Weight: 25 lbs.; 115 AC. All shafts are ball-bearing mounted. Gears are packed in grease. Spring-loaded adapted pawls with forged steel spindle gear. No load: 7.5 amps, 750 watts With load: 18.0 amps, 1750 watts. Includes: drive, metal carrying case, attachment handle, connector, square adapter. CSA approved. Approved to UL standards (NRTLCL).

- 0120260 RIDGID® 700 DRIVE KIT
- 0120261 1" ADAPTER (HP50)
- 0120264 REPLACEMENT BRUSHES
- 0120263 SQUARE ADAPTER ASSY. (HP71)
- 0120079 CONNECTOR PIN (HP74)



UTILITY KNIFE

Zinc die-cast, sure-grip handle; blade storage compartment; 3-position retractable, reversible blade.

0382038 KNIFE; 10/CTN.

0382042 REPLACEMENT BLADES (5)



METAL SHEARS

Drop-forged, heavy duty, 12-3/4" long.

0381004



SNAP-LOCK PUNCH TOOL

For vinyl and aluminum; 3/8" throat depth.

0380104



F-15 FINISH NAILER

The World's First Cordless Pneumatic

SENCO's F-15 (FN65DA), featuring Fusion Technology, has the power and utility of a pneumatic tool combined with the convenience of a cordless tool. Our patented design provides an instant shot when the trigger is pulled with no ramp-up time. Perfect for trim crews, remodelers, punch-out, or anyone who does not want to deal with the hassle of a hose and compressor. Save up to \$300 a year by not having to buy any fuel cells!

0382125

SENCO[®]

Accessories:

0382132 – REPLACEMENT BATTERY, 18V LITHIUM

0382156 – 2" SS BRITE FINISH NAILS

0382157 – 2" WHITE FINISH NAILS

0382158 – 2" BROWN FINISH NAILS



WITH
FUSION[™]
TECHNOLOGY

PC-0947 FINISHING COMBO KIT

- FinishPro 18 Nailer drives 18-gauge brad nails from 5/8" to 2"
- PC1010--a lightweight, oil-less compressor with one-gallon capacity tank
- Hose, safety glasses, fittings, oil, 1,200 brad nails, wrenches, manuals

0382120

Accessories:

0382140 – 1-1/4" GALVANIZED BRAD

0382141 – 1-1/4" WHITE BRAD

0382142 – 1-1/4" BROWN BRAD

SENCO[®]



SIDESWIPER®

Saves time!



Unique offset design makes work more accessible so you can work faster and safer. Wider body and comfortable vinyl-grip handle conforms to your hand, protects knuckles and gives you greater leverage and control when replacing siding panels. Durable one-piece, spring steel construction is virtually indestructible. 6/Ctn.

0381002

Using the SideSwiper

Wedge tip under the bottom end of overlapping panel and hook on the back lip of buttlock in one easy motion.



Pull downward on SideSwiper's® handle and slide row of siding panel to disengage lock and expose nail row of sliding panel to be replaced.

Use in the same manner to install replacement panel.

ALUMINUM HANDLED SNIPS

New design! Handle gives strength of steel with only half the weight. Straight cuts through the hardest sheet metal (even seams) and vinyl. Long-life pressure fit inset steel blades are easy to replace and extended tips reach all the way into corners. Larger handle loops accommodate gloves. 3" cut, weighs only 1 lb., 12" long.

0381012 M12N SNIPS

0381014 RPL. BLADE FOR M12N SNIPS



- Sleek head for better visibility
- Slim nose for tight shapes
- Extended blade tip reaches all the way into corners
- Pressure-fit inset blades make field replacement easy

SIDE MOUNT SOCKET SET



Self-closing end sockets. Adjustable left and right.

0265539

SIDE MOUNT DRAWER GUIDE



4 piece 18" guide set

0265538

DRAWER GUIDE BRACKET

Silent drawer action. 3-point suspension plastic bracket



0265541 BRACKET; 100/CTN.

DELUXE DRAWER GUIDE

Hi-flex plastic, use w/wood or metal rail. Attaches to rear of drawer.



0260306 6/BAG

0265535 100/CTN.

DRAWER KNOBS

1-1/2" diameter. Antique copper finish over decorative filigree design. 12/Ctn.

0260301



INTERIOR DOOR HINGES

Non-mortise, 3 leaf folding door hinges, 1-3/16" x 3-7/16". Polybagged in pairs with 8 screws.



0210990 BRASS
0210991 BRUSHED NICKEL

Non-mortise, extended, 3 leaf folding door hinges. 1-3/16 x 3-7/16 (extended leaf 1-1/2"). Polybagged in pairs with 8 screws.



0210989 BRASS
0210992 BRUSHED NICKEL

Non-mortise hinge, 2/Box



0210998 BRASS


FLUSH CABINET DOOR HINGE



Antique English finish, flush hinge. Non-self closing.

0260212 2/BAG
0260213 BRUSHED NICKEL
0260212 BRASS

SIX FINGER HINGES



Six screw flanges.

0210993 SATIN NICKEL

EXTERIOR DOOR HINGES

DOOR HINGES



0210608 MILL EXT.
0210609 WHITE

EXTERIOR DOOR HINGES FOR 7000 SERIES DOORS



Designed with radius corners for the 7000 series doors.

0210605 ZINC

COMBO DOOR HINGES



Designed for 6000, 8,000 and 9,000 series Doors.

0210996 ZINC

DRIP CAP

For over doors and windows. Large collector valley carries away rain and snow. Confined caulking area insures neat appearance and positive seal.

0210950 31" 0210951 35"
0210953 39" 0210954 43"
0210955 49"




ELIXIR DRIP CAP

Install over doors and windows to channel away rain and snow. Steel with white finish.

0212011 FOR 32" OR LESS DOOR
0212012 FOR 34" DOOR
0212013 FOR 36" DOOR
0212014 FOR 48" DOOR
0212018 FOR 53" DOOR
0210949 FOR 60" DOOR
0212009 FOR 72" DOOR



OVERHANGING DRIP EDGES



- "F" Style, 10"
- Overhang gives maximum protection from roof run-off
- Acts as a starter strip for a true edge to align shingles
- Directs run-off into gutters
- Used along gutter line of roof edge
- Protects and covers roof edge
- For new construction and reroofs

0265495 BROWN
0265496 WHITE

ELIXIR THRESHOLD

Aluminum.


0265506 32" OR LESS
0265507 34"
0265508 36"
0265509 48" OR LESS
0265510 72"



ALUMINUM MOLDING DRIP RAIL

Serrated face 1-1/2" standard 1-1/2" rail 14" length. Punched, 4" centers.


0265503 25/CTN.



ROOF EDGE

Extra soft, heavy-gauge standard edge. 14" length. Punched with 4" centers.

0265501 25/CTN.



SEAM BINDER

Aluminum w/serrated face, stagger drilled and countersunk. Mill finish.


0262607 2-1/2" X 12", 30/CTN.
0262610 3/4" X 12", 30/CTN.
0262605 4" X 12", 30/CTN.
0262599 4" X 14", 30/CTN



ADJUSTABLE VINYL DOOR BOTTOM

Fills gap between door and door bottom to prevent air, dust and water entry. Additional seal at the top, to stop water seepage. Pre-punched slotted holes. Includes self tapping screws.

36" long.
0219011 BROWN; 24/CTN.



TRUSS PLATES


0262245 3"X 4",
280/BX
0262246 2"X 4",
420/BX



STANDARD DOOR SWEEP

1-1/2" overall width including vinyl. 37" overall length. Satin finish. Poly bag.

0219009 24/CTN.



CARPET MOLDING

All drilled and counter-sunk on 6" centers. 1-1/2" W x 12' L. Hammered.

0265504 MILL, 25/CTN.
0265505 BRASS, 25/CTN.



Spiral Nails sold separately

0263208 MILL FINISH, 24/BAG
0263200 GOLD FINISH, 500/BOX
0263206 GOLD FINISH, 250/BOX



Z-BAR ALUMINUM ECONOMY PROFILE

5/8" x 10' metal z-shapes used to protect wood sheet edges from moisture damage.

0265498 BROWN



HURRICANE TIE CLIPS




0262240 6",
350/BX
0262241 4",
250/CTN
LEFT/RIGHT PAIR

RAILS

For a 4' x 6' x 8" door.

0211040 PAIR OF RAILS



DOOR VIEWER



One-way viewer is zinc die-cast with 180° angle plastic lens. 9/16" diameter, adjusts for door thicknesses 1-1/2" to 2-1/2". Installation hole is 9/16". Display boxed.

0212016 BRASS
0212017 CHROME

SPRING-EZE STOP

Flexible brass-plated steel spring with white plastic tip. 3" long.

0211004 25/CTN.



SELF-ADHESIVE DOOR STOP

Colonial White; 100/ctn.

0211002



THEFT STOPPER

Allows you to easily repair damage from break-ins without replacing entire door, and protects against a reoccurrence.

Just three easy steps: remove screws from doorknob, place Theft Stopper on outside of door, then replace the knob.

0212024




WEATHER STRIPPING



0219001 - 30'

DOORKNOB HOLE PATCH REPAIR & DOORSTOP

Solves two problems at the same time: patches over holes and serves as doorstop to prevent reoccurrence of damage. Cream-colored, paintable, self-adhesive and elastic.



0211003 - 3"

0211005 - 5"

"S" HOOK

Approximately 1-1/2" long. Ideal for chain door connections and many other uses.


0210602



E-Z ARMOR DOOR JAMB SHIELD

An effective door security solution designed specifically to fit the "Elixir" style manufactured home doors. It provides effective door jamb reinforcement and is easy to install. It can also be used to repair a damaged door jamb that has been kicked it and prevents it from happening again. Package includes additional screws to use to protect your hinges.


0212021 4/CTN



EASY-TOUCH ACOUSTIC TEXTURE

Patch "popcorn" or "cottage cheese" type ceiling textures fast. Contains actual polystyrene chips to match commercially applied ceiling textures.

Patch small areas up to 2 sq. ft. 16 oz.




0185028 COARSE

PUTTY KNIFE

High impact plastic. 3.5" long handles and 3.5" long blades. Hang hole.

0381105 - 2"
0381106 - 3"



DAP WALLBOARD JOINT COMPOUND

Smooth, high quality finishing of gypsum panel joints. 3 lb. tub

0119006



HOMAX WALL & CEILING REPAIR PATCH

For drywall, plaster and other flat surfaces. Metal patch with self-adhesive mesh backing permanently repairs holes in walls and ceilings. Refinish to create an invisible patch. Ideal for quick repair of interior drywall and plaster surfaces.



0260417 6" PATCH

EASY-TOUCH SPRAY TEXTURE

Fast-drying, oil-based. Three color-coded straws let you choose the perfect match for "orange peel" splatter textures. Up to 100 sq. ft. of coverage.

0185026 20 OZ.



EASY-TOUCH ORANGE PEEL/KNOCKDOWN TEXTURE

Repair and redecorate your ceiling with our new multi-purpose ceiling texture that applies either orange peel or knockdown texture. Formulated for patching existing interior ceilings. Maximum coverage Orange peel - 80 sq ft., Knockdown - 60 sq ft. Vertical spray nozzle reduces effort. Water base formula is easy to clean up.

- Easy to apply
- Sprays both Orange Peel & Knockdown
- Vertical spray nozzle
- For patching or entire ceilings

0185024 20 OZ.




EASY-TOUCH KNOCKDOWN TEXTURE

Water-based. Matches knockdown "Mediterranean" and splatter-type wall and ceiling textures. Two different application straws allow you to choose between medium or heavy patterns. Patches small areas up to 8 sq. ft. Single can provides up to 16 sq. ft. coverage.

0185025 20 OZ.



SEASPRAY BRAND HI-STRENGTH MVR CEILING PANELS



Attractive textured ceiling panels and a code-approved moisture/vapor retarder, all in one easy to use product. Manufactured with a high strength gypsum core with increased uniformity and integrity to increase sag resistance. Field tests prove these new 5/16" panels provide superior sag resistance to regular gypsum core, even when installed over framing 24" o.c. using foam adhesive attachment methods.

0200005 4' X 13' 9 1/2" X 5/16" CEILING PANELS

0200006 4' X 13' 8" X 5/16" CEILING PANELS

- Five year limited warranty against visible sag
- Meets HUD standards of 1 perm or less for vapor retarder
- Square edged linear panels are coated with durable latex finish that resists surface marking
- Bolder, heavier texture helps hide joints
- Fire resistant, UL labeled; meets HUD safety standards
- Easy to install (and eliminates need for applying other vapor retarders)
- Improved sag resistance
- 24" o.c. foam adhesive attachment
- Built-in vapor barrier
- Hard painted surface
- Easy touch-up

Not stocked in all locations

ROSETTE WASHERS & SCREWS

For fastening ceiling board. 1" diameter white rosette. Center hole for 6# screw.

0260401 ROSETTE ONLY; 200/BAG

0263106 SCREW ONLY; 200/BAG

0260410 ROSETTE & SCREW; 250/PK.



MATELINE SNAP-ON CEILING CAP SYSTEM

This two part system (track and cap) makes set up and tear downs a snap. The Mateline cap can be removed and replaced at will without damaging the ceiling.

SNAP-ON CEILING CAPS

0269202 5" X 8'

0269203 10" X 8'

CEILING TRACK

0269201 8'



Pre-finished, but paintable.

WALLBOARD

- 0200010 GYPSUM WALL PANEL, 4X8, IVORY
- 0200013 GYPSUM WALL PANEL, 4X9, IVORY
- 0200020 GYPSUM WALL PANEL, 4X8, GREY
- 0200021 GYPSUM WALL PANEL, 4X8, ROSE
- 0200024 LUAN WALL PANEL, 4X8, GREY
- 0200025 LUAN WALL PANEL, 4X8, ROSE
- 0200032 TRIM, 2"X 8', GREY
- 0200033 TRIM, 2"X 8', ROSE
- 0200011 BATTEN, 1"X8', IVORY
- 0200027 BATTEN, 1"X8', GREY
- 0200028 BATTEN, 1"X8', ROSE
- 0200036 1"X150' BATTEN TAPE, GREY
- 0200037 1"X150' BATTEN TAPE, ROSE
- 0200038 6"X150' BATTEN TAPE, GREY
- 0200039 6"X150' BATTEN TAPE, ROSE



Pictured with optional decorative batten

Not stocked in all locations

WALLBOARD PAINT

Off-White - 5 gallon

0185038



FLOORING SNAP-IN CAP SYSTEM

Made Rite™ introduces Mateline Flooring System

This system makes set up and tear downs a snap. The Mateline cap can be installed without damaging the flooring or wall panels.

- No more wall, ceiling or floor damage.
- Reusable. Easy to install.
- Will not rot. Resists mildew and fungus.
- Will not absorb moisture.

0265512 10', GRAY VINYL, PRE-FINISHED

0265513 10', TAN VINYL, PRE-FINISHED



Gray (shown as used on carpet)

WOOD & PLASTIC MOLDING & TRIM

Quality, pre-finished wood and plastic trim molding.

Screen Trim

1-1/2" x 11.5', Wood

0269103 DARK; 84/PKG.

0269128 LIGHT, 84/PK



Ceiling Beam

1-1/2" x 13.5', Wood

0269106 WHITE PAINTED; 100/PKG.



Chair Rail

3/8" x 2-1/4" x 10', Wood

0269114 10' DARK WOOD; 58/PKG.

0269163 10' WHITE PAPER-WRAPPED MDF; 58/PKG.



Outside Corner

3/4" x 8', Plastic

0269109 MEDIUM BROWN; 150/PKG.

0269166 WHITE PAINTED; 150/PKG.

0269178 INDIAN OAK PAINTED; 150/PKG.



1" x 8', Plastic

0269132 MEDIUM BROWN; 150/PKG.

0269130 LIGHT; 150/PKG.

0269167 WHITE; 150/PKG.

Inside Corner

1" x 8', Plastic

0269107 MEDIUM BROWN; 150/PKG.

0269165 WHITE; 150/PKG.

0265527 BONE, 200/PKG



Shoe Stop

3/8" x 1/2" x 7' MDF

0269111 MEDIUM BROWN; 175/PKG.

0269112 LIGHT; 175/PKG.

0269168 WHITE, PAINTED MDF; 175/PKG.

0269176 INDIAN OAK PAINTED MDF; 175/PKG.



1/2" x 3/4" x 7' MDF

0269115 LIGHT; 100/PKG.

0269116 MEDIUM BROWN; 100/PKG.

0269169 WHITE, PAINTED MDF; 100/PKG.

0269180 CHESAPEAKE OAK; 100/PKG.

Batten

3/4" x 8', Luan, Bevelled

0269104 MEDIUM BROWN WOOD; 325/PKG.

0269105 LIGHT WOOD; 325/PKG.

0269170 WHITE, WOOD; 325/PKG.



1" x 8', Luan

0269117 MEDIUM BROWN; 275/PKG.

0269118 LIGHT; 275/PKG.

0269171 WHITE MDF; 275/PKG.

0269177 FAIRWAY OAK; 275/PKG.

1 1/2" x 8', Luan

0269179 FAIRWAY OAK PAPER-WRAPPED LUAN; 150/PKG.

0269174 WHITE PAPER-WRAPPED LUAN; 150/PKG.

0269183 CAFE CIDER; PAPER-WRAPPED; 150/PKG.

Casing

1/2" x 2-1/4" x 7' MDF

0269100 DARK; 58/PKG.

0269119 ALMOND; 58/PKG.

0269172 WHITE MDF; 58/PKG.

0269175 INDIAN OAK MDF; 58/PKG.



Crown Cove

3/8" x 2-1/2" x 10', MDF

0269113 DARK; 60/PKG.



Cove Casing

1/4" x 1-1/2" x 7', MDF

0269101 MEDIUM BROWN PAINTED WOOD; 125/PKG.

0269160 WHITE; 125/PKG.



Door Jamb

1/2" x 7', MDF

0269140 2" OAK; 50/PKG.


0269141 3.25" OAK; 35/PKG.

0269142 4.5" OAK; 24/PKG.

0269143 6" OAK; 19/PKG.

0269150 3.25" WHITE; 35/PKG.

0269151 4.5 WHITE; 24/PKG.



Lip Molding


7/8" x 8', MDF

0269134 BROWN; 200/PKG.

0269173 WHITE, PAINTED; 200/PKG.



VAPOR BARRIER



BLACK PLASTIC VAPOR BARRIER

0264997	10' X 100'	6 ML VAPOR BARRIER
0265005	14' X 100'	6 ML VAPOR BARRIER
0265004	16' X 100'	6 ML VAPOR BARRIER
0265002	20' X 100'	6 ML VAPOR BARRIER
0265000	16' X 150'	6 ML VAPOR BARRIER

CLEAR PLASTIC VAPOR BARRIER


0265016	10' X 100'	6 ML VAPOR BARRIER
---------	------------	--------------------

WHITE CLOSE-OFF FILM



WHITE CLOSE-OFF FILM (FOR SECONDARY MOVES)

0265003	12' X 120'	6 ML CLOSE-OFF FILM
0265013	14" X 150'	4.5 ML CLOSE-OFF FILM
0265006	14' X 300'	5 ML CLOSE-OFF FILM
0265012	15" X 300'	6 ML CLOSE-OFF FILM
0265009	16' X 100'	6 ML CLOSE-OFF FILM
0265008	16' X 150'	6 ML CLOSE-OFF FILM



Foam is completely sealed inside a high-strength vapor barrier sheathing

Flexible insulating foam core

2-Ply flanges make it easy to fasten Centers-Seal to the mating surface around perimeter of home.

CENTER-SEAL

CENTERLINE INSULATOR

- Provides a continuous seal
- Withstands exposure to the elements
- Does not blow off during transport
- Lasts even through repeated resets
- Eliminates customer concern over visible daylight
- Superior insulation for better energy efficiency and protection against rodents and insects
- Compact, lightweight and easy to handle; no skin irritation
- Needs no special tools - staples or tucks
- Installs faster than fiberglass, spray foam, etc.
- Unlike other materials, does not absorb moisture but blocks it, protecting home against structural and cosmetic damage


0265055 2" X 375'

SILL PLATE SEALER

Sill Seal is specifically designed to fill the air gaps between the sill plate and wall.

Multi-purpose ridged sill plate gasket provides resilient sealing, a perfect seal for setting up double-wide homes.

- Made of quality polyethylene
- Prevents rotting of sill plate
- Water and insect repellent
- Will not deteriorate
- Fills gaps between sections of home
- Easy to install -- needs no special tools
- Resists moisture penetration to interior of structure



0265050 5.5" X 50' ROLL

MASKING TAPE

Standard-grade masking tape. Good pressure sensitive qualities, resists water, solvents and oils. 60 yds.

0360702 1-1/2"W; 24/CTN.



DUCT TAPE

ECONOMY DUCT TAPE

Roll: 2" x 60 yds.

0360600 24/CTN.



TOP QUALITY DUCT TAPE

Extra strong. Tears evenly, does not bubble up. Gray color. 2" x 60 yds.

0360501 24/CTN.

3M ELECTRICAL TAPE

Temflex, general use vinyl electrical tape. Flame retardant, cold and sunlight resistant. Suitable for use at not more than 600 V and not more than 80°C. Flame retardant, lead free.

0360401 3/4" X 60', 200/CTN.



GORILLA TAPE

Double thick adhesive – grips smooth, rough and uneven surfaces. Heavy-duty cloth backing – for added strength and heft. Rugged Outer shell – withstands moisture, UV rays and temperature extremes better than other tapes.



0110285 GORILLA TAPE 1.88IN X 35YD

0110286 GORILLA TAPE TOUGH AND WIDE 2.88IN X 30YD

ECONO-MEND ECONOMY MENDING TAPE

Same as above, only with no release paper, 4" x 165' roll.

0360011 4" X 165'




CLOSE-OFF TAPE

5.5 utility grade polyethylene patching and repair tape for close-off film and general use.

0360722 2" X 60 YARDS, WHITE

0360723 4" X 60 YARDS, WHITE

0360727 4" X 36 YARDS, BLACK



PUTTY TAPE

Heavy, mastic flexible, non-hardening material remains pliable as applied or as packaged. Special silicone-treated release paper. Can be pressed into any shape to form a water-tight and air-tight seal. Adheres to metal, glass and plastic.

0360090 1/8" X 3/4" X 30'; 24/CTN.

0360105 1/8" X 1" X 30'; 20/CTN.

0360106 1/8" X 1-1/2" X 30'; 12/CTN.



TACKY TAPE®

A highly elastic butyl rubber tape with excellent surface tack specifically designed for sealing metal joints. Its superior surface tack allows it to adhere to metal without pre-wiping the surface. It has excellent adhesion and compressibility to cold substrates. It is formulated without asbestos fillers.


- Excellent adhesion to aluminum, aluminized steel, polyvinyl fluoride and siliconized polyester painted metal, concrete, FRP, and glass
- No cracking or loss of adhesion at -40°F
- Service Temperature Range -40°F to 180°F
- Application Temperature Range -5°F to 120°F
- Adhesive Tensile Strength (ASTM C907) 20 psi minimum
- Will resist fungal attack and not support mildew growth
- USDA acceptable
- Meets Federal Specification TT-C-1796A, Type II
- Meets AAMA 804-92 and 807-92 (this specification supercedes obsolete NAAMM Standard SS-1b-68)



0360800 3/4" X 1/8 X 30', 24/CTN.

FOAM TAPE

Medium density, single-face non-interconnecting cell vinyl w/easy release liner. Synthetic permanent adhesive for easy application even on irregular curved surfaces. 3/16" x 30'. Mylar backed. 32/Ctn.




0360110 3/4" W
0360108 1/2" W

WEBBING STRAP FOR FLEX-DUCT

Black polypropylene strap for hanging flex-duct, etc.

1-3/4" tensile strength: 440 lb. avg.
3" tensile strength: 640 lb. avg.



0262550 3" X 300'
0262551 1-3/4" X 300'

BLACK BUTYL TAPE

Top-quality, ready-to-use. Permanent resilience and elongation. For problem areas such as between roof and side panels. Quick-release paper for easy application.

0360115 2" X 30', 8/CTN.
0360117 3/4" X 30', 20/CTN.



HVAC DUCT TAPE

Flex Duct Tape. Silver.

0360450 2" X 120 YDS.
0360451 3" X 120 YDS.



FOIL HVAC TAPE

For duct board system sealing. Prevents heat loss. Blocks odors and moisture.

0360502 2" X 50 YDS.
0360503 3" X 50 YDS.



ALUMINUM GRIP TAPE

0360446 3" X 50' 30 MIL
0360445 3" X 150' 17 MIL



SCRIM TAPE

0360453 FOIL 3" X 50 YDS
0360431 WHITE VINYL 3" X 150'





Carpet Armour Carpet Protector


"Shield carpets from stain, dirt & wear."

Durable 3 mil, non-skid polyethylene film prevents damage during high traffic display periods, bad weather or while repairs are being made. Pressure-sensitive adhesive on one side, reverse rolled for easy application. Roll it across the floor, or use the handy Excaliber applicator for fast, wrinkle-free application. To remove, simply peel off and discard. Non-transferable adhesive will not harm carpets.

0265010 23.5" X 1000' ROLL
0265011 23.5" X 200' ROLL
0265015 EXCALIBER APPLICATOR


NOTE:

Should not be left in place for more than 45 days. It should be removed or replaced sooner if subjected to heavy foot traffic, high humidity, high temperatures or direct sunlight. Not recommended for natural fiber (wool) carpets. Do not use on marble, tile, vinyl, counter tops, etc. where it is difficult to remove. Temperatures greater than 100° F may prevent Carpet Armour from releasing properly.



Shown with Excaliber applicator

POLYVENT REGISTERS




**GET RID OF DANGEROUS
JAGGED EDGES FOREVER!**

Molded plastic—no more bent fins, scratches, dents or jammed mechanisms, no more jagged edges that might cause injury. So durable, it's virtually indestructible and even dishwasher safe for easy cleaning. Molded in decorator colors, not painted, thereby eliminating fumes and waste harmful to the environment.

4" x 10"	4" x 8"
0421315 WHITE	0421317 WHITE
0421316 BROWN	0421318 BROWN
0421294 BONE	0421290 BONE
0421295 WEDGEWOOD BLUE	0421291 WEDGEWOOD BLUE
0421296 HUNTER GREEN	0421292 HUNTER GREEN
0421297 PEARL GRAY	0421293 PEARL GRAY


BASEBOARD DIFFUSER

0421308 WHITE, 18"



FLOOR GRILL

High quality, durable. Made in the U.S.A. heavy gauge steel floor grilles. Bar faced design for maximum strength and a smooth flat walking surface. Tough and durable brown paint finish.



0103148 12" X 20" BROWN FLOOR GRILLE (F25B1220)
0103162 14" X 20" BROWN FLOOR GRILLE (F25B1420)

REGISTER FILTERS

Not only do they provide a fresh, clean scent, they also trap and control pollen, dust and dust mites, tobacco odors and mold, mildew and fungus spores. Fits most registers. Non-toxic. Excellent for allergy and asthma sufferers. Installs in seconds. Fragrance lasts approximately three months. Packaged for pegboard display, coated in saran to lock in scent.



0180207 BABY POWDER 3/PK 0180206 PINE 3/PK

FLOOR REGISTERS, DIFFUSERS AND GRILLES



Floor Registers

High quality, durable Made in the U.S.A. drop in style floor registers with mounting holes and matching painted screws. 1/2" spaced, rolled fins. Wheel operated opposed blade damper operating system. Available in white or brown.

- 0421304 BROWN, 4" X 8" (RLS248)
- 0421305 BROWN, 4" X 10" (RLS2410)
- 0421306 BROWN, 4" X 12" (R30B0412)
- 0421302 WHITE, 4" X 8" (RLS248W)
- 0421303 WHITE, 4" X 10" (RLS2410W)
- 0421307 WHITE, 4" X 12" (R30W0412)

Register Face

(Face Plate Only)

High quality, durable Made in the U.S.A. register faces with mounting holes and matching screws. 1/2" spaced, rolled fins. Available in white and brown.

- 0421320 4" X 8" WHITE (RLS248FW)
- 0421323 4" X 10" WHITE (RLS2410FW)
- 0421322 4" X 8" BROWN (RLS248F)
- 0421321 4" X 10" BROWN (RLS2410F)

Reinforced Register Face

(Face Plate and Register Collar Only)

High quality, durable Made in the U.S.A. register face with reinforced register collar. 1/2" spaced, rolled fins with mounting holes and matching screws. Available in white and brown.



- 0421287 4" X 8" WHITE (R10F2509RW)
- 0421288 4" X 10" WHITE (R10F2511RW)
- 0421285 4" X 8" BROWN (R10F2509R)
- 0421286 4" X 10" BROWN (R10F2511R)

ROOF CAP FOR VERTICAL FANS

Cap & flat flange 7" diameter attic vent, 9-1/4" above roof line.

Note: will not work on sloped roof.

0421202 8/CTN.



Floor Grilles

High quality, durable Made in the U.S.A. heavy gauge steel floor grilles. Bar faced design for maximum strength and a smooth flat walking surface. Tough and durable brown paint finish.

- 0103148 12" X 20" BROWN FLOOR GRILLE (F25B1220)
- 0103162 14" X 20" BROWN FLOOR GRILLE (F25B1420)

Baseboard Diffuser

High quality, durable Made in the U.S.A. sunburst pattern baseboard diffusers. 1/3" spaced lanced face sunburst design. Lever operated single flap damper, white or brown paint finish. Available in 15" and 24" lengths, and white by special order.

- 0421308 18" WHITE BASEBOARD DIFFUSER (180W)

Register Collars

High quality, durable Made in the U.S.A. register collars. Easy connection from register to duct. Made of rust resistant steel, quick installation tabs to clip ends together and reduces air leakage.

- 0421324 4"W X 10" L X 6" D (20410060)
- 0421325 4" W X 8" L X 6" D (20408060)

EAVE VENT

4" Aluminum Eave Vent
6" Square Flange - 3" Collar

0421272 8/CTN



ALUMINUM VENTILATOR FOR EXHAUST DUCT

0425001 6" DIAMETER, WITH SCREEN (MFG# 360)



2" METAL PLUMBING STACK

Galvanized steel for 1-1/4" or 2-1/2" pipe. Removable cap.

0425003 50/CTN.



PLUMBING VENT



Serves as a water tight flashing and weather shield for air vent pipes up to 2 1/2" diameter, projecting up to 2 1/2" above the roof. 5 1/4" Diameter Base.

0425004 PLASTIC (MFG# 40132)

METAL PLUMBING STACK

Vent cap for plumbing vent pipe. Rolled edge to prevent water run-over.

0425208 4", (MFG# V2086-00)




REPLACE-ALL PLUMBING CAP



Saves time and money—no need to install a complete plumbing cap. Plastic. 12/Ctn.

0420100 (MFG# 40134)

SOLAR 8" ROUND RACK ROOF FAN



- Round design provides for excellent air flow and maximum wind strength
- Prevents rain, snow, insects & animals from entering the attic
- Has a 5 watt high efficiency solar panel
- High quality powder coating lasts as long as the roof

0420503 SOLAR VENT 8 IN BLK F/SHINGLE RF

0420504 SOLAR VENT 8 IN BLK F/METAL RF

0420511 SOLAR VENT KIT 8 IN BLK F/METAL RF - INCLUDES VENT, BUTYL TAPE, SEALER STRIP, AND PULL SWITCH

0420516 SOLAR VENT KIT 8 IN BLK F/SHINGLE RF - INCLUDES VENT AND PULL SWITCH ONLY

* other colors available

BROAN ROOF DUCTING KIT

- Black steel roof cap with built-in back draft damper and bird screen
- 4" diameter metal duct connector
- 3" to 4" duct adapter
- 8' of 4" diameter flexible foil ducting conforms to UL 181 Class 1 Air Connector requirements
- Complete kit designed to vent kitchen or bath exhaust fan through a slanted roof
- 8' in length

For complete roof ducting installation of exhaust fans.

0420505 MODEL RVK1A

0421214 REPLACEMENT ROOF CAP (#636)



SIDEWALL EXHAUST FANS

115V Sidewall Fan, Mill Finish Exterior, White Interior, Fits 2-3/4"-4" wall thickness.
V2215-11



VENTLINE
By DEXTER

0420710

Replacement Parts

0420711 STERLING GRILLE - V0564-37

0420709 WHITE GRILLE - V0564-46

0420703 SCREWS FOR GRILLE (3.5" MODEL) - V0148-02

0421401 FAN BLADE - BVA0312-00


0221802 PRESSURE SWITCH - BV0140-03

0262000 SIDEWALL CHAIN - BV0144-00

0420103 MOTOR, 120V, NO PLUG - BVD0275-00

RANGE HOOD VENTS

Louvered, 1.75" inlet, white.
3-1/3" x 10.5" RO.




0420510

Weatherproof with lockable damper. 1.75" inlet, white.
3-1/3" x 10.5" RO. Colonial White.



0420509

Professionally finished look for lap siding. Simple to install, saves time & lowers cost.
Reduces leaks. White.



0420500

CEILING/WALL FANS

Dependable, high performance bathroom ventilation.

BLOWER:

- Plug-in, permanently lubricated motor
- Centrifugal blower wheel



HOUSING:

- Tapered, polymeric duct fitting with built-in backdraft damper for easy, positive duct connection and no metallic clatter

0421216 (MFR.# 684)

0421218 (MFG # HD80L) WITH LIGHT

Versatile, high quality ventilator. Air delivery shall be no less than 50 CFM and sound levels no greater than 4.0 Sones

GRILLE:

- White polymeric - blends well with any decor
- Torsion spring grille mounting - no tools required



0421215 (MFR.# 688)

0421217 (MFG # 678) WITH LIGHT

MOTOR:

- Plug-in, permanently lubricated motor

VOLTS	SONES	CFM	DUCT
120	2.5	80	4" ROUND

VOLTS	SONES	CFM	DUCT
120	4.0	50	3" ROUND

BATH VENTS

VENTLINE
By DEXTER

- Ultra-quiet, U.L. Listed, 115V motor.
- Vertical exhaust
- 50 or 100 CFM, 120 VAC., 60 Hz
- Foam damper for a secure seal when not in operation
- Thermally Protected 8/Ctn.
- Simple installation with plug-in motor & lamp, snap-in junction box cover

VENTED FAN W/O LIGHT

Vent w/out Light. 7" Rough Opening, 0.8 AMP

0421200 100 CFM, 7" DIA. VERTICAL EXHAUST, # V2262-100

0421201 50 CFM, 7" DIA. VERTICAL EXHAUST, V2262-50

0421199 50 CFM, 3" DIA. SIDE EXHAUST, # V2270-50

Replacement Parts

0421402 GRILL & SPRING ASSEMBLY

0421401 BLADE ONLY

0421204 MOTOR FOR CFM50

0421203 MOTOR FOR CFM100



VENTED FAN W/LIGHT

10-3/4" Rough Opening. Takes 100 Watt Bulb. 1.5 AMP, Type IC

0421205 100CFM, #V2244-100

0421210 75CFM #V2244-75

0421206 50CFM, #V2244-50

Replacement Parts

0421207 PLASTIC LIGHT LENS

0421208 FOAM DAMPER ASSEMBLY

0421401 BLADE ONLY

0421204 MOTOR FOR CFM50

0421203 MOTOR FOR CFM100



SMOKE AND CARBON MONOXIDE ALARMS



Hardwired Smoke Alarms

BRK® hardwired smoke alarms are designed to be easy to install, easy to maintain, and quality-engineered for years of virtually maintenance-free service. Meet UL 217 standard - single station smoke alarms. UL mandated repeating alarm horn pattern (85 dB)-3 beeps, pause, 3 beeps.

10-Year Limited Warranty

- 0141302 9120
- 0141305 9120B 9V BATTERY BACK-UP
- 0141307 7010B 9V BATTERY BACK-UP W/ PHOTOELECTRIC SMOKE SENSOR



Hardwired Smoke and CO Combo Alarm

A state-of-the-art hardwired with battery backup smoke/CO combo alarm that features a photoelectric smoke sensing chamber, an electrochemical CO sensor and end of life signal. Meets both UL 217 & UL 2034 standards - single and multiple station smoke & carbon monoxide alarms. UL mandated repeating alarm horn patterns (85 dB)-3 beeps, pause, 3 beeps and 4 fast beeps, pause, 4 fast beeps.

7-Year Limited Warranty

0250100 SC7010B



First Alert Battery CO Alarm

Designed to be easy to install, easy to maintain, and quality-engineered for years of virtually maintenance-free service. Meet UL 2034 standard - single station carbon monoxide alarms. UL mandated repeating alarm horn pattern (85 dB)-4 fast beeps, pause, 4 fast beeps.

7-Year Limited Warranty

- 0250106 C0400B 2 AA BATTERY POWERED
- 0250109 C0250LB WITH 9V LITHIUM BATTERY, TAMPER RESISTANT LOCKING PIN



Battery Combination Smoke and CO Alarms

Designed to be easy to install, easy to maintain, and quality-engineered for years of virtually maintenance-free service. Meet UL217 & UL 2034 standards. UL mandated repeating alarm horn patterns (85 dB)-3 beeps, pause, 3 beeps and 4 fast beeps, pause, 4 fast beeps.

7-Year Limited Warranty

0250103 SC02B – 9V ALKALINE BATTERY POWERED



Battery (DC) Smoke Alarms

Basic battery operated smoke alarm perfect for use in existing multi-family applications. Hinged cover for easy battery replacement. Lighted Power and Alarm indicator. Silence feature. Tamper resistant locking pin.

10-Year Limited Warranty

- 0141303 FG250B 9V BATTERY SMOKE ALARM
- 0141301 FG250LB 9V LITHIUM BATTERY SMOKE ALARM



120V AC Hearing Impaired Smart Strobe

This AC hardwired signaling device is designed to meet the needs of the ADA where a 177 candela strobe light is required for hearing impaired residential and institutional applications.

Smart Strobe has separate flash patterns to distinguish between a smoke/heat or CO danger. Bright 177 candela strobe light. 1Hz flash rate meets ADA, ANSI 117.1, NFPA 72 and UL 1971 requirements for visual signaling devices. Can be interconnected with BRK/First Alert smoke, heat and carbon monoxide alarms

10-Year Limited Warranty

0250101 SL2177



GARAGE AND HOME WORKSHOP 10-B:C FIRE EXTINGUISHER-RECHARGEABLE



Fights oil, gasoline and electrical fires around the house. Easy-to-Read Pressure Gauge. Bracket with Strap for Easy Mounting. Sodium Bicarbonate Extinguishing Agent

10-Year Limited Warranty

0340507 6/CTN

RECREATIONAL 5-B:C FIRE EXTINGUISHER-RECHARGEABLE



For recreational use in vans, campers and other RV's. Fights oil, gasoline and electrical fires around the house. Commercial-Grade Metal Valve and Trigger.

Bracket with Strap for Easy Mounting. U.S. Coast Guard Approved. Sodium Bicarbonate Extinguishing Agent.

10-Year Limited Warranty

0340501 6/CTN

5-B:C KITCHEN FIRE EXTINGUISHER



For kitchen use. Fights oil, gasoline and electrical fires around all vehicles. Quick release mounting cap for easy access. Push button pressure check. Sodium Bicarbonate Extinguishing Agent

10-Year Limited Warranty

0340510 6/CTN

5LB. MULTI-PURPOSE 3-A:40-B:C HEAVY DUTY PLUS FIRE EXTINGUISHER-RECHARGEABLE



Commercial, industrial and transportation use. Fights wood, paper, oil, gasoline and electrical fires. Can also be used for truck and other transportation needs with bracket no. BRACKET5. Commercial-Grade Metal Valve and Trigger. Ideal for Offices, Homes and Workshops. Monoammonium Phosphate Extinguishing Agent

12-Year Limited Warranty

0340509 6/CTN.

MINI-BLINDS


1" PVC, lead-free with wand in classic white sized to fit manufactured housing windows. 10/Ctn.



- | | |
|---------------------|-------------------|
| 0260500 32" X 33" | 0260502 38" X 56" |
| 0260501 32" X 56" | 0260510 46" X 28" |
| 0260508 32" X 64" | 0260503 48" X 56" |
| 0260509 32" X 72" | 0260506 48" X 64" |
| 0260507 35.5" X 54" | |

VERTICAL BLINDS

3.5" PVC, lead-free with wand in classic white, perfect for sliding glass doors.



0260504 78" X 78"

CURTAIN RODS

Single, white, extendable curtain rod projects 2-1/2".



0265712 28"- 48"; 50/CTN.

PORTABLE UV-AIRE® AIR PURIFICATION MODELS

The portable UV-Aire models combine the purifying power of UV with high efficiency and carbon filtration to reduce dust, pollen, odors, and VOCs. The UV-Aire portables are recommended for anyone with allergies, a respiratory illness, or a compromised immune system.

The high intensity ultraviolet light attacks airborne mold, bacteria, and viruses. The high efficiency filter traps allergens, dust, and pollen. The carbon filter removes odors and attacks VOCs (volatile organic compounds).

UV-500C PORTABLE

- Uses UV germicidal light, carbon, and high efficiency filtration (8"germicidal UV lamp)
- Quiet, heavy duty fan with 3-speed control
- Purifies air in areas up to 500 square feet
- Circuit board monitors lamp and filter life (10"x10" high- efficiency/carbon filter)
- Visible lamp and filter replacement alerts
- Plugs into any standard 120v outlet
- Built-in handles for easy portability
- Non-skid rubber feet



Items Included in System:

- 1-UV-Aire UV-500C unit
- 1-Ultra Violet Lamp Individually Boxed 1-Instruction Sheet
- 4-10" x 10" x 1" Filters
- 1-Bagged Parts: containing lamp connector, alcohol swab and access door screw

0143215

HULA PENNANTS



MULTI-COLORED: 4 mil polyethylene plastic in 30' strings of alternating red, green, yellow, white and blue fringes.

0265702 MULTI-COLORED; 25/CTN.




RED/WHITE/BLUE: Each 30' pennant string has alternating red, white and blue hula pennants, creating a striking visual image. There are 32 full color 18' sections per string. Durable in any weather. 25/Ctn.

0265703 RED/WHITE/BLUE

FLAG PENNANT

12" x 18" V-shaped pennant flags; weather-resistant economy polyethylene, double sewn on plastic covered, high strength, sag-resistant header. 120'. 25/Ctn.



0265701

AMERICAN FLAG KIT

3' x 5' heavy nylon, hand-stitched American Flag. Kit comes with flag, black cast iron pole, star finial and wall/post hanger. Made in USA.

0265704 FLAG ONLY

0265705 FLAG KIT WITH POLE AND FLAG

